

# MC-8

Multistage Centrifugal Turbo Blower



## MODEL MC-8

### Standard Specifications

Gas	Air, CO <sub>2</sub> , Biogas, Steam, H <sub>2</sub> S, Fuel Gas, N <sub>2</sub> , LNG, Custom
Flow Range	100% to 45% of Rated Flow*
Pressure Range	15 PSIG / 1034 mbar Delta
Maximum Case Pressure	25 PSIG / 1.7 bar
Stages	1 to 9 (10 at 50Hz)
Drive Type	Direct Coupled, Belt Drive
Power Driver Options	Electric 2-Pole Motor, Steam Turbine, Combustion Engine
Cooling	Self Cooled Air, Optional Integral Fan
Lubrication Options	Grease, Splash Lubricated Oil, or Mist Connections
Bearings	Anti-friction type AFBMA L10 up to 300,000 hrs
Enclosure	Optional
Sound Level	< 85 dba*
Sound Level with Enclosure	Job Specific
Filtration Rating (std)	98% at 10 micron, or as required
Seals Air	Labyrinth Type
Seals Gas	Closed Grease with Stuffing Box, Carbon Ring with Purge, Custom Available
Shaft End Dimension	1.875 in (47-63 mm) diameter at coupling
Inlet / Outlet Flange Size	8" / 8" ASA 125# / ANSI 150# Drilling, Optional DIN 200 Adapter Flange

### Control Options

Control Methods	Variable inlet valve, speed control, blow off, or combination
Local Controller	sLOC™ Standard - Custom for Allen Bradley, Modicon, Siemens or Other
HMI	sLOC™ Standard or Custom HMI
Remote Monitoring	sLINK™ or Custom
Control Set Points	Pressure, Flow, Power, Custom Input

### Standard Materials of Construction





Casing, Volute	ASTM A48 Class 25/30 Cast Iron, Ductile
Bearing Housings	ASTM A48 Class 25/30 Cast Iron, Ductile
Impeller	ASTM A365 T6 Cast Aluminum, ASTM AA-6061 Fabricated, Stainless
Shaft	ASTM A109 1045~, Stainless Steel
Seals Air	ASTM B86 Z25631 Zinc Alloy, Aluminum
Seals Gas	ASTM C695 Molded Graphite
Joint Sealing of Casings	RTV Silicon or O-Ring
Blower Base Skid	ASTM A36 Structural Steel
Isolation Pads	Neoprene Rubber
Finish	2 Part Epoxy Lone Star Blue RAL5005

### Optional Testing & Certifications

API	API 617, API 672 Features
Electrical	UL 508A, CE, CSA, Other
Hazardous Location	ATEX, Class1 - Division 1- Division 2, Zone 0-2
Balancing	ISO 1940, G2.5 grade
Noise Level	OSHA 1910.95, ISO 2151:2004
Performance	ASME PTC-10, PTC-13, ISO 5389
Hydro Testing	1.5 Time MAWP
Overspeed Testing	Optional
Positive Material ID	XRF, OES, Material Certification
NACE Compliance	Optional
Special Coatings	Optional

### Service

Air, Gas, Pressure, Vacuum







\* Information is approximate and can change without notice  
\* Air Performance Based on 1 Atm, 68F/20C, 36% RH and 3550 rpm


PACKAGED DIMENSIONS			
MODEL	A*	B*	L†
MC8-1	7.45 (189)	11.29 (287)	65 (1651)
MC8-2	11.58 (294)	15.42 (392)	75 (1905)
MC8-3	15.70 (399)	19.54 (496)	86 (2184)
MC8-4	19.83 (504)	23.67 (601)	94 (2388)
MC8-5	23.95 (608)	27.79 (706)	100 (2540)
MC8-6	28.08 (713)	31.92 (811)	100 (2540)
MC8-7	32.20 (818)	36.04 (915)	112 (2845)
MC8-8	36.33 (923)	40.17 (1020)	112 (2845)
MC8-9	40.45 (1027)	44.29 (1125)	120 (3048)

\*DIMENSIONS ARE SHOWN IN INCHES (AND MILLIMETERS) ARE APPROXIMATE.  
DO NOT USE FOR CONSTRUCTION PURPOSES.

†DIMENSIONS VARY DEPENDING ON COUPLING & MOTOR FRAME SIZE.




INLET VIEW




OUTLET VIEW


INLET & OUTLET ORIENTATION OPTIONS  
THE ORIENTATION OF THE INLET AND OUTLET IS SELECTABLE FROM ANY OF THE  
THREE DIFFERENT POSITIONS, AS VIEWED WHEN FACING THE EXTERIOR OF THE PARTS.



INLET VIEW



OUTLET VIEW



MOTOR SIDE  
ISD VIEW

INERTIA BASED ON CAST IMPELLERS.  
APPROXIMATE WEIGHT FOR BLOWER AND SKID MINUS MOTOR.

MODEL	WEIGHT		Kg-m <sup>2</sup>
	LB	Kg	
MC8-1	1383	628	0.27
MC8-2	1683	764	0.53
MC8-3	2017	916	0.78
MC8-4	2317	1052	1.04
MC8-5	2680	1217	1.30
MC8-6	2980	1353	1.45
MC8-7	3348	1519	1.82
MC8-8	3648	1656	2.08
MC8-9	4033	1831	2.34

INTERPRET ALL GEOMETRIC DIMENSIONING  
AND TOLERANCING TO ASME Y14.5

ALL DIMENSIONS ARE IN INCHES  
UNLESS OTHERWISE SPECIFIED

STANDARD TOLERANCES  
.X ±.015  
.XX ±.010  
.XXX ±.005  
Y/YX ±1/16  
ANGLES ±1°

REMOVE BURRS AND BREAK  
ALL SHARP EDGES  
MACHINED SURFACES

DRAWING IS FOR REFERENCE ONLY  
UNLESS SPECIFIED AS APPROVED

THE INFORMATION CONTAINED IN THIS  
DRAWING IS THE SOLE PROPERTY OF  
LONE STAR BLOWER. ANY REPRODUCTION  
IN PART OR AS A WHOLE WITHOUT THE  
WRITTEN PERMISSION OF LONE STAR  
BLOWER IS PROHIBITED.

DRAWN BY \_\_\_\_\_ DATE \_\_\_\_\_  
CHECKED BY \_\_\_\_\_ DATE \_\_\_\_\_  
APPROVED BY \_\_\_\_\_ DATE \_\_\_\_\_

THIRD ANGLE  
PROJECTION



MC 8  
MULTISTAGE TURBO

SIZE **B** DWG. NO. **MARKETING** REV **0**

SCALE: 1:20 DO NOT SCALE SHEET 1 OF 1